



RESEARCH PRODUCTS

Additional Standards for MS/MS

New!

Cambridge Isotope Laboratories, Inc. (CIL) is pleased to offer these additional high-quality standards for use in tandem mass spectrometry (MS/MS). These isotope-labeled standards are fit for quantification via isotope dilution mass spectrometry (IDMS).

	Catalog No.	Description
	CNLM-9007-CA-0.1MG	L-Argininosuccinic acid, barium salt·2 H_2O (arginine- ¹³ C_6 , 99%; ¹⁵ N_4 , 99%) CP 90%+
	CNLM-9007-CA-0.5MG	L-Argininosuccinic acid, barium salt·2H ₂ O (arginine- $^{13}C_6$, 99%; $^{15}N_4$, 99%) CP 90%+
	ULM-9008-CA-0.1MG	L-Argininosuccinic acid, barium salt-3H ₂ O (unlabeled) CP 90%+
NEW!	NSK-PO-1	α -Glucosidase Substrate and Internal Standard
NEW!	NSK-FA-1	α -Galactosidase Substrate and Internal Standard
	CLM-9792-0.001	Hexacosanoyl lysophosphatidylcholine (hexacosanoyl-1,2,3,4,5,6-13C ₆ , 99%)
	CLM-9792-0.005	Hexacosanoyl lysophosphatidylcholine (hexacosanoyl-1,2,3,4,5,6-13C ₆ , 99%)
	ULM-9791-0.005	Hexacosanoyl lysophosphatidylcholine (unlabeled)
	ULM-9791-0.01	Hexacosanoyl lysophosphatidylcholine (unlabeled)
	CLM-9426	Methylmalonic acid (¹³ C ₄ , 99%)
	DLM-387-0.25	Methylmalonic acid (methy-D ₃ , 98%)
	DLM-3619-1	DL-Homocystine (3,3,3',3'4,4,4',4'-D ₈ , 98%)

Please see other side for additional product details >

Other Standards Coming Soon!

Catalog No.	Description
NSK-MP-1	α -L-Iduronidase Substrate and Internal Standard
NSK-KR-1	Galactocerebrosidase Substrate and Internal Standard

For research use only. Not for use in diagnostic procedures.

Catalog No.	Description
NSK-GA-1	Glucocerebrosidase Substrate and Internal Standard
NSK-NI-1	Acid Sphingomyelinase Substrate and Internal Standard

Euriso-Top, Parc des Algorithmes, route de l'orme, 91190 Saint Aubin | France

Catalog No.	Description	
NSK-PO-1	Lysosomal α -Glucosidase Substrate and Internal Standard	
Each vial contair	ns the following compounds at a molar ratio of 100:1:	
Compound #1	(7-Benzoylamino-heptyl)-{2-[4-(3,4,5-trihydroxy- 6-hydroxymethyl-tetrahydro-pyran-2-yloxy)- phenylcarbamoyl]-ethyl}-carbamic acid <i>tert</i> -butyl ester	
Formula	$C_{34}H_{49}N_3O_{10}$	
Weight (Da)	659.8	
Compound #2	(7-d _s -Benzoylamino-heptyl)-[2-(4-hydroxy-phenyl- carbamoyl)-ethyl]-carbamic acid <i>tert</i> -butyl ester	
Formula	C ₂₈ H ₃₄ N ₃ O ₅ D ₅	
Weight (Da)	502.7	
Product Specifications		
Amount	~600 samples per vial	

Storage and stability	Store in freezer (-20°C), protected from light
Stability	Two years if stored under recommended conditions. If reconstituted, store in either 2-8°C or in freezer (-20°C) for up to four weeks.

For research use only. Not for use in diagnostic procedures.

Reference

Haynes, C.A.; De Jesús, V.R. **2016**. Simultaneous quantitation of hexacosanoyl lysophosphatidylcholine, amino acids, acylcarnitines, and succinylacetone during FIA-ESI-MS/MS analysis of dried blood spot extracts for newborn screening. *Clin Biochem*, *49*(1-2), *161-165*.

Catalog No.	Description
NSK-FA-1	lpha-Galactosidase Substrate and Internal Standard
Each vial contain	s the following compounds at a molar ratio of 500:1:
Compound #1	(6-Benzoylamino-hexyl)-{2-[4-(3,4,5-trihydroxy- 6-hydroxymethyl-tetrahydro-pyran-2-yloxy)- phenylcarbamoyl]-ethyl}-carbamic acid <i>tert</i> -butyl ester
Formula	C ₃₃ H ₄₇ N ₃ O ₁₀
Weight (Da)	645.7
Compound #2	(6-d ₅ -Benzoylamino-hexyl)-[2-(4-hydroxy-phenyl- carbamoyl)-ethyl]-carbamic acid <i>tert</i> -butyl ester
Formula	C ₂₇ H ₃₂ N ₃ O ₅ D ₅
Weight (Da)	488.6
Product Spe	cifications
Amount	~600 samples per vial
Storage and stability	Store in freezer (-20°C), protected from light
Stability	Two years if stored under recommended conditions. If reconstituted, store in either 2-8°C or in freezer (-20°C) for up to four weeks.

Euriso-Top, Parc des Algorithmes, route de l'orme, 91190 Saint Aubin | France